Burfa Bog 18/06/2013
Grid ref: SO2761 Recorders: Clare & Mark Kitchen with H

| | |
|---|---|
| *Achillea millefolium* | Yarrow |
| *Ajuga reptans* | Bugle |
| *Alliaria petiolata* | Garlic Mustard |
| *Alnus glutinosa* | Alder |
| *Alopecurus geniculatus* | Marsh Foxtail |
| *Alopecurus pratensis* | Meadow Foxtail |
| *Anemone nemorosa* | Wood Anemone |
| *Angelica sylvestris* | Wild Angelica |
| *Anthoxanthum odoratum* | Sweet Vernal-grass |
| *Anthriscus sylvestris* | Cow Parsley |
| *Apium nodiflorum* | Fool's-water-cress |
| *Callitriche agg.* | Water-starwort |
| *Caltha palustris* | Marsh-marigold |
| *Cardamine flexuosa* | Wavy Bitter-cress |
| *Cardamine pratensis* | Cuckooflower |
| *Carex acutiformis* | Lesser Pond-sedge |
| *Carex caryophyllea* | Spring-sedge |
| *Carex echinata* | Star Sedge |
| *Carex hirta* | Hairy Sedge |
| *Carex leporina* | Oval Sedge |
| *Carex nigra var.subcaespitosa* | Common Sedge |
| *Carex remota* | Remote Sedge |
| *Carex strigosa* | Thin-spiked Wood-sedge |
| *Centaurea nigra* | Common Knapweed |
| *Cerastium fontanum* | Common Mouse-ear |
| *Chamerion angustifolium* | Rosebay Willowherb |
| *Chrysoplenium oppositifolium* | Opposite-leaved Golden Saxifrage |
| *Circaea lutetiana* | Enchanter's Nightshade |
| *Cirsium palustre* | Marsh Thistle |
| *Conopodium majus* | Pignut |
| *Corylus avellana* | Hazel |
| *Crataegus monogyna* | Hawthorn |
| *Cynosurus cristata* | Crested Dog's-tail |
| *Dactylis glomerata* | Cock'sfoot |
| *Dactylorhiza maculata ssp. ericitorum* | Heath Spotted-orchid |
| *Deschampsia cespitosa ssp.cespitosa* | Tufted Hair-grass |
| *Digitalis purpurea* | Foxglove |
| *Dryopteris dilitata* | Broad Buckler-fern |
| *Dryopteris filix-mas* | Male Fern |
| *Epilobium hirsutum* | Great Willowherb |
| *Equisetum fluviatile* | Water Horsetail |
| *Equisetum palustre* | Marsh Horsetail |

| | |
|---|---|
| *Festuca rubra ssp. rubra* | Red Fescue |
| *Ficaria verna* | Lesser Celandine |
| *Filipendula ulmaria* | Meadowsweet |
| *Fraxinus excelsior* | Ash |
| *Galeopsis tetrahit* | Common Hemp-nettle |
| *Galium aparine* | Goosegrass |
| *Galium odoratum* | Woodruff |
| *Galium palustre ssp.palustre* | Common Marsh-bedstraw |
| *Geranium robertianum* | Herb-Robert |
| *Geum urbanum* | Wood Avens |
| *Glyceria fluitans* | Floating Sweet-grass |
| *Hedera helix ssp. helix* | Common Ivy |
| *Heracleum sphondylium* | Hogweed |
| *Holcus lanatus* | Yorkshire Fog |
| *Holcus mollis* | Creeping soft-grass |
| *Hyacinthoides non-scripta* | Bluebell |
| *Hypochaeris radicata* | Cat's-ear |
| *Ilex aquifolium* | Holly |
| *Iris pseudacorus* | Yellow Iris |
| *Isolepis setacea* | Bristle Club-rush |
| *Juncus articulatus* | Jointed Rush |
| *Juncus effusus* | Soft Rush |
| *Lamium album* | White Dead-nettle |
| *Lonicera periclymenum* | Honeysuckle |
| *Lotus pedunculatus* | Greater Bird's-foot-trefoil |
| *Luzula campestris* | Field Wood-rush |
| *Luzula multiflora ssp. multiflora* | Heath Wood-rush |
| *Lychnis flos-cuculi* | Ragged Robin |
| *Lysimachia nemorum* | Yellow Pimpernel |
| *Myosotis discolor* | Changing Forget-me-not |
| *Oenanthe crocata* | Hemlock Water-dropwort |
| *Oxalis acetosella* | Wood Sorrel |
| *Phalaris arundinacea* | Reed Canary-grass |
| *Plantago lanceolata* | Ribwort Plantain |
| *Poa trivialis* | Rough Meadow-grass |
| *Polypodium interjectum* | Intermediate Polypody |
| *Potentilla erecta ssp. erecta* | Tormentil |
| *Potentilla erecta ssp. strictissima* | Large Tormentil |
| *Ranunculus acris* | Meadow Buttercup |
| *Ranunculus flammula* | Lesser Spearwort |
| *Ranunculus hederaceus* | Ivy-leaved Crowfoot |
| *Ranunculus repens* | Creeping Buttercup |
| *Ribes rubrum* | Redcurrant |
| *Rosa canina* | Dog-rose |
| *Rubus fruticosus agg.* | Bramble |

| | |
|---|---|
| *Rubus idaeus* | Raspberry |
| *Rumex acetosa* | Common Sorrel |
| *Rumex obtusifolius* | Broad-leaved Dock |
| *Salix cinerea ssp. oleifera* | Grey Willow |
| *Sambucus nigra* | Elder |
| *Scrophularia nodosa* | Common Figwort |
| *Senecia aquaticus* | Marsh Ragwort |
| *Silene dioica* | Red Campion |
| *Solanum dulcamara* | Bittersweet |
| *Sorbus aucuparia* | Rowan |
| *Stachys sylvatica* | Hedge Woundwort |
| *Stellaria graminea* | Lesser Stitchwort |
| *Stellaria holostea* | Greater Stitchwort |
| *Stellaria uliginosa* | Bog Stitchwort |
| *Succisa pratensis* | Devil's-bit Scabious |
| *Taraxacum officinale agg.* | Dandelion |
| *Trifolium pratense* | Red Clover |
| *Trifolium repens* | White Clover |
| *Urtica dioica* | Stinging Nettle |
| *Valeriana dioica* | Marsh Valerian |
| *Valeriana officinalis* | Common Valerian |
| *Veronica beccabunga* | Brooklime |
| *Veronica chamaedrys* | Germander Speedwell |
| *Veronica hederifolia agg.* | Ivy-leaved Speedwell |
| *Veronica montana* | Wood Speedwell |
| *Veronica serpyllifolia* | Thyme-leaved Speedwell |
| *Viburnum opulus* | Guelder-rose |
| *Vicia sepium* | Bush Vetch |
| *Viola ?riviniana* | Common Dog-violet |

hen with HBS

SO 27320 61095

epiphytic on Sorbus aucuparia